

## Sporting & Technical Regulations 2024

PUBLISHED VERSION - Page 1 of 6 Issued 13/03/2024

### 1: TITLE & JURISDICTION:

The **BIKESPORTS CHAMPIONSHIP** is organised and administered by the 750 Motor Club Ltd in accordance with the General Regulations of Motorsport UK (incorporating the provisions of the International Sporting Code of the FIA) and these Championship Regulations.

### 1. MOTORSPORT UK Championship Permit No:

- CH2024/R029
- 2. MOTORSPORT UK Championship Grade: C.
- 3. Race Status: Inter-Club.

### 1.2: OFFICIALS:

**1. Co-Ordinator**: G.Groombridge, Donington Park, Castle Donington, Derbyshire, DE74 2BN

೨ 01332 814548; ∽ີ <u>giles@750mc.co.uk</u>).

- 2. Eligibility Scrutineer: B. Blackmore, Deputy: S. Dockray
- 3. Championship Stewards:
- C. Emmerson T. Gregory I.Sowman

### **1.3: COMPETITOR ELIGIBILITY:**

- 1 Entrants must:
- (a) be fully paid up valid members of the 750 Motor Club and
- (b) be Registered for the Championship and
- (c) be in possession of a valid MOTORSPORT UK Entrants
- Licences.

2 Drivers and Entrant/Drivers must:

- (a) Be current Members of the 750 Motor Club and
- (b) be Registered for the Championship and
- (c) be in possession of a valid Competition (Racing) Club
- Licence, as a minimum

(d) Or be in possession pf the highest grade of national Race licence or valid FIA International Licence, together with their ASN's written consent ((H)26.2. and FIA ISC Article 2.3.7.b applies)

(e) If participation in the Championship requires absence from education a driver, in full time school education is required to have the approval of their head teacher and a letter stating such approval from their school in order to fulfil registration for the Championship. A driver shall not take time out of their education to participate in motor sport without the prior written approval of their education establishment.

3. All necessary documentation must be presented for checking at all rounds when signing-on.

### 1.4: REGISTRATION:

**1**. All competitors must register for the championship by returning the Registration Form with the Registration Fee to the Coordinator prior to the Final Closing date for the first round being entered.

**2.** The Registration Fee for the season is <u>£140</u> payable upon registration. For competitors wishing to enter a single event a registration fee of <u>£30</u> is payable and points will be awarded for this event. If further races are entered the balance of the <u>£140</u> fee must be paid.

**3.** Registration numbers will be the permanent Competition number for the Championship.

### 1.5: CHAMPIONSHIP ROUNDS:

The **BIKESPORTS CHAMPIONSHIP** will be contested over the following rounds:

Date 1 April 18 May 6 July 24 August 12 Octobor	<b>Circuit</b> Donington Park Silverstone Anglesey Brands Hatch Donington Park	<b>Round/s</b> 2 2 2 2
12 October	Donington Park	2

### 1.6: SCORING:

**1**. Points will be awarded to Competitors listed in the Final Results within each class, as follows: -15; 12; 10; 9; 8; 7; 6; 5; 4; 3. All other finishers-2; all other starters - 1. Fastest lap per class - 1 point subject to a minimum of 2 starters in class. If there are <u>6 3</u> or less starters in any class, points will be 12; 9; 7; 6; 5. <u>If there 4 or less starters in any</u>



class, points will be 9; 6; 4; 3. If there is only one starter in a class, there will be no point awarded for fastest lap.
 The totals from all qualifying rounds (excluding any races which are

abandoned and which are not replaced) less **2** will determine the final championship points positions.

**3**. Ties shall be resolved using the formula in (W)1.3.4. in the current MOTORSPORT UK Yearbook.

**4.** Where the race distance has been reduced (2.6.) it shall still count as a full points scoring round.

**5.** Competitors not registered for the Championship may be permitted on an individual round basis and will:

(a) be deemed "Guest Competitors"

(b) not score points and for the purpose of points scoring will be ignored

(c) qualify for Event awards

(d) comply with the eligibility criteria as prescribed in Article 1.3. above, with the exception of 1.3.1. (b) and 1.3.2. (b), as appropriate.

### 1.7: AWARDS:

**1**. All awards are to be provided by the Organising Club unless agreed otherwise.

**2**. Per Round: Trophies to 1st, 2nd and 3<sup>rd</sup> in each class. Masters Trophy for the highest placed driver who is 55 years of age during the year of competition.

**3**. Championship: Subject to a minimum of 5 race starts, trophies to:-1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup> overall & in each class. Best prepared car.

# Masters Champion: for the highest placed driver who is 55 years of age during the year of competition.

**4.** Presentations: Awards will be presented at the end of each event, and/or at the end of the Championship at the designated presentation ceremony.

5. Entertainment Tax Liability: {deleted}

**6**. If Provisional Results or Championship Tables are revised after any presentations and these revisions affect the distribution of awards the Competitors concerned must return them to the organisers in good condition within 7 days.

### 2: CHAMPIONSHIP EVENT MEETINGS & RACE PROCEDURES

### 1. ENTRIES:

**1.** Competitors are responsible for sending in correct and complete entries with the correct entry fee prior to the closing date for entries before each event.

**2.** Incorrect or incomplete entries (Including Driver to be Nominated Entries) are to be held in abeyance until they are complete and correct and the date of receipt for acceptance of entry purposes shall be the date on which the Meeting Organiser receives the missing or corrected information or fee.

**3.** Any withdrawal of Entry or Driver/Car changes made after acceptance of any entry must be notified to the Meeting Organisers in writing. D25.1.12. applies.

**4.** The Entry Fee for each event shall be specified in the SRs and on the entry form.

**5.** Reserves will be listed in the Final List of Entries published with Final Instructions or in a Bulletin.

**2. BRIEFINGS:** Organisers should notify Competitors of the times and locations for all briefings in the Final Instructions for the meetings. Competitors must attend all briefings.

### 3. QUALIFICATION PRACTICE:

**1.** Should any Practice session be disrupted the Clerk of the Course shall not be obliged to resume or re-run the session; the decision of the Clerk of the Course shall be final.

**2.** Each driver shall complete a minimum of 3 laps in the car to be raced, and in the correct session, in order to qualify (MOTORSPORT UK Regulations Q12.4).

**4. RACES:** Should any race be disrupted the Clerk of the Course shall not be obliged to resume or rerun the race ((Q)12.15.) (1.6.4. above applies)



## Sporting & Technical Regulations 2024

PUBLISHED VERSION - Page 2 of 6 Issued 13/03/2024

### 5. STARTS:

**1.** All cars will be released to form up on the grid prior to the start in formation as specified on the grid sheet.

**2.** The start will be via Rolling start. The minimum Countdown procedures/audible warnings sequence shall be:-

I. 1 minute to start of Green Flag/Pace Lap - Start Engines/Clear Grid.

II. 30 Seconds - Visible and audible warning for start of Green Flag/Pace Lap.

III. A five second board will be used to indicate that the grid is complete.

IV. The red lights will be switched on five seconds after the board is withdrawn.

**3.** Any car removed from the grid after the 1 minute stage or driven into the pits on the Green Flag lap shall be held in the pitlane and may start the race after the last car has passed the startline or pitlane exit, whichever is the later to take the start from the grid. **4.** Any driver unable to start the Green Flag/Pace lap or start are required to indicate their situation as per MOTORSPORT UK Regulation (Q)12.11.2. In addition any driver unable to maintain grid positions on the Green Flag Lap, to the extent that ALL other cars are ahead of them, may complete the Green Flag lap but MUST remain at the rear of the last row of the grid but ahead of any cars to be started with a time delay.

**5.** In the event of any starting lights failure the Starter will revert to use of the National Flag.

**6. SESSION RED FLAG:** Should the need arise to stop any race or practice, RED LIGHTS will be switched on at the Startline and RED FLAGS will be displayed at the Startline and at all Marshals Signalling Points around the Circuit. This is the signal for all drivers to cease circulating at racing speeds, to slow to a safe and reasonable pace and to return to the pit lane, during practice, and to the starting grid area, during a race, unless otherwise directed by officials. Cars may not enter the Pits unless directed to do so. Work on cars already in the Pits must cease when a race is stopped.

### 7. PITS, PADDOCK & PITLANE SAFETY:

 Pits & Paddock: Competitors must ensure that the MOTORSPORT UK, Circuit Management and Organising Club Safety Regulations are complied with at all times.
 Pitlane: The outer lane or lanes are to be kept unobstructed to allow safe passage of cars at all times. The onus shall be on all Drivers to take all due care and respect the pit lane speed limits.
 Refuelling: May only be carried out in accordance with the MOTORSPORT UK General Regulations, the Organising Club Regulations, Circuit Management Regulations and the SRs or Final Instructions issued for each Circuit/Meeting.

4. Speed Limit: Pit Lane Speed Limit will be 60 km/h.

**8. RACE FINISHES:** After taking the Chequered Flag drivers are required to:

- I. progressively and safely slow down
- II. remain behind any competitors ahead of them,

III. return to the Pit Lane Entrance/Paddock Entrance as instructed,

IV. comply with any directions given by Marshals or Officials

V. keep their helmets on and harnesses done up while on the circuit or in the pitlane.

**9. RESULTS:** All Practice Timesheets, Grids, Race Results are to be deemed Provisional until all vehicles are released by Scrutineers after Post Practice/Race Scrutineering and/or after completion of any Judicial or Technical Procedures. (MOTORSPORT UK regulation (D)26.3.)

**10. TIMING MODULES:** The 750 Motor Club utilises transponderbased timing and competitors must have a compatible transponder fitted and working and advise the race organisers of its number prior to the event. Compatible transponders include the AMB TRANX 260 and MyLaps X2 & TR2 models. **11. QUALIFICATION RACES:** If any event is oversubscribed the Organising Club may at their discretion run Qualification Races.

**12. OPERATION OF SAFETY CAR:** The Safety Car will be brought into operation and run in accordance with Section Q, Appendix 3 of the MOTORSPORT UK General Regulations.

**13. ONBOARD CAMERAS:** All competitors are required to carry an on board, in car camera that records to an SD (or micro-SD) card that must be capable of recording HD footage that can be played back on a standard laptop. Recordings from the cameras may be used where there is an incident which is subsequently brought before the Clerk of the Course for investigation.

It is the competitor's sole responsibility to ensure safe installation and effective operation of the camera equipment. At all times cameras must be fitted in accordance with MOTORSPORT UK regulations and be approved by the Chief Scrutineer in accordance with J.5.21

Cameras must be mounted in a position such that the steering wheel and track are in clear view. The unit must always be switched on and be recording when the car is on track during any official free practice, qualification session and race.

The onus is on the competitor to ensure that the camera unit battery is charged, the camera switched on to record and ensure the SD card has enough capacity to record the above-mentioned sessions. The SD card must ONLY contain the files from the event in question

In the event that no recording is available when requested by the Organisers or Clerk of the Course for judicial purposes then the following penalties will be applied by the Clerk of the Course.

- a. First offence Championship Reprimand
- b. Championship Points Deduction Equivalent to an 8th place finish.

c. Disgualification.

### **3: SPECIFIC CHAMPIONSHIP REGULATIONS**

**1.** By registering for the Championship all competitors and their associates commit to positively promote and demonstrate the Motorsport UK's Respect Code which is appended to these regulations (Appendix 2).

Where any reports of disrespectful conduct are judged to be well founded the Championship organisers may issue warnings or require remedial actions and/or report the matter to the Championship Stewards who may impose appropriate penalties which can include loss of Championship points and/or race bans through to Championship Expulsion and referral to Motorsport UK.

It is imperative that we promote the safety and wellbeing of young people and adults at risk. In addition to this all participants must be aware of their behaviour and conduct at all times and abusive language and harmful behaviour will not be tolerated. Any such incidents must be reported to the Championship Coordinator and/or Safeguarding Officer who will also relay the report Motorsport UK. Details of the Motorsport UK Policies and Guidelines are available at www.motorsportuk.org/resource-centre by selecting Policies and Guidelines.

**2.** In the event of any rounds being oversubscribed the Organising Club may, in liaison with the Championship Coordinator, at their discretion run Qualification races as per 2.11 of these regulations. Alternatively at double header race meetings, should there be sufficient space within the timetable, the Organising Club may divide the grid after qualifying into 3 separate Groups. The Groups will then form 3 races whereby





## Sporting & Technical Regulations 2024

PUBLISHED VERSION - Page 3 of 6 Issued 13/03/2024

each competitor participates in two races. All 3 races will be eligible for full championship points.

**3.** At each Round of the championship Race 1 grid positions will be determined by each competitor's fastest lap time in Qualifying with the Top 8 overall reversed. At double header meetings, the grid positions for Race 2 will be determined by the competitors second fastest lap time in Qualifying.

4. Pitstop Races; at double header meetings Race 2 will feature a mandatory 30 second (stationary) pitstop. These mandatory pitstops may not be taken in the first 5 minutes of any race or in the final 5 minutes of the scheduled race duration.

Cars finishing in the Top 5 overall in the preceding race will receive an additional time penalty for the pitstop race which will be served at the time of the mandatory pitstop:

<u> </u>	1st place: 10 seconds
<u> </u>	2nd place: 8 seconds
•	3rd place: 6 seconds
•	4th place: 4 seconds
	5th place: 2 seconds

For the avoidance of doubt this means that for example, a car finishing in 3rd place in Race 1 of an event will need to make a 36 second stationary pitstop in Race 2.

Drivers judged to have made a short pitstop will be given a time penalty of 20 seconds plus the duration that the stop is short multiplied by two.

5. The use of pit to car radios is prohibited in all practice sessions and races.

In accordance with Section C of the current MOTORSPORT UK Yearbook and additionally:

### 4.1: INFRINGEMENT OF TECHNICAL REGULATIONS:

**1.** Arising from post practice Scrutineering or Judicial Action: Minimum Penalty: The provisions of MOTORSPORT UK Regulations: C3.3.

2. Arising from post race Scrutineering or Judicial Action:

Minimum Penalty: The provisions of MOTORSPORT UK Regulations: C3.5.1 (a) and (b).

For infringements deemed to be of a more serious nature the Clerk of the Course will invoke the provisions of Regulation C3.5.1 (c).

### **4.2: ADDITIONAL SPECIFIC CHAMPIONSHIP PENALTIES**

1. In the case of a driver being disqualified from a race, the Clerk of Course will impose the penalties set out in MOTORSPORT UK Regulation C3.5.1 a & b and may impose the penalty set out in MOTORSPORT UK Regulation C3.5.1 c.

2. In order to maintain standards of conduct, the Championship Organisers will monitor all Officials/Observers reports of adverse behavior at race meetings. If any individual is included on two such reports during one racing season the Championship Organisers will request the Clerk of Course at future race meetings to consider specific observation of that driver's conduct.

3. The Clerk of Course may impose a "Stop-Go" or "Drive through" penalty during a race in accordance with MOTORSPORT UK Regulation 0.12.26.

4. Any Competitor who is penalized under the Championship Sporting Regulations at any stage of a Championship event and receives an allocation of penalty points on their race license in accordance with MOTORSPORT UK Regulations, will receive a Championship points deduction equal to the number of penalty points which were allocated. Should the same competitor receive penalty points at another round of the Championship then the number of Championship points deducted will be double the number of penalty points applied. If penalty points



are applied at a third round, then the Championship points deducted will be triple this number, and quadrupled at the forth occurrence of such a penalty etc. This may result in a driver receiving a negative score.

5. Championship Stewards are also empowered to consider any request from the Championship co-ordinator to penalize any Competitor for any breach of Championship regulations and, after holding a formal hearing if they deem it necessary, to impose a penalty in accordance with MOTORSPORT UK Regulation C.2.1.1 (subject to the rights of appeal provided for in Section C.)

6. One or more of the following may be imposed by the Championship Stewards as appropriate;

#### a) Reprimand

Fine. The may be also applied in the case of a driver b) receiving three reprimands from the Championship Stewards in one season.

Time or Grid Penalties

c) d) Suspension from all or part of the Championship. This may also be applied in the case of a driver receiving two fines from the Championship Stewards in one season.

### **5: TECHNICAL REGULATIONS**

### 5.1: INTRODUCTION:

The following Technical Regulations are set out in accordance with the MOTORSPORT UK specified format and it should be clearly understood that if the following texts do not clearly specify that you can do it, you must work on the principle that you cannot. The fact that some modifications are mentioned as prohibited does not imply that others are allowed.

STANDARD: The word 'standard' used within these technical regulations as a description of components is to be interpreted as per 'Standard Part' defined in Section B – Nomenclature & definitions in the MOTORSPORT UK Blue Book. Checking will be by comparison to spare parts supplied by the manufacturer's official agent or by any other means necessary to ensure compliance.

### 5.2: GENERAL DESCRIPTION:

The **BIKE-SPORTS CHAMPIONSHIP** is for Competitors participating in "sports-racing" cars powered by series-production 4-stroke motorcycle engines; this will include two-seater cars and those With a single centralised position, thereby making the car a "centralseater"

Cars will run in classes as follows:-

Class	Capacity cc	
А	Cars using "tuned" Motorbike engines up to 1500cc in capacity.	
В	Cars using "production" Motorbike engines up to 1500cc in capacity.	

Invitational entries may be permitted, acceptance of such entries will be at the organisers discretion and competitors may be required to run additional ballast weight and submit a dyno plot and/or other technical information to the organisers prior to acceptance of entry.

### **5.3: SAFETY REQUIREMENTS:**

The following Articles of MOTORSPORT UK Section K Safety Criteria Regulations will apply:- K1.6.1 or 1.6.4, K 2.1.3, K 3.1, K 5 – 14.

### 5.4: GENERAL TECHNICAL REQUIREMENTS & EXCEPTIONS:

All cars must comply with the requirements of sections J and Q of the current MOTORSPORT UK Yearbook. All vehicles must be of sound construction and mechanical condition and be well maintained. Towing eyes must have a minimum internal diameter of 60mm; (note the tow eye may be of either a suitable rigid or flexible material bolted to the chassis).

As a minimum, two mirrors must be fitted, each with a minimum surface area of 50 sqcms and giving a clear view to the rear, one on each side of the centreline of the vehicle.



## Sporting & Technical Regulations 2024

PUBLISHED VERSION - Page 4 of 6 Issued 13/03/2024

### 5.5: CHASSIS:

Chassis must be constructed either of a tubular steel spaceframe or an aluminium or steel monocoque. Fibreglass or composite monocoques are only permitted if a rollcage complying with MOTORSPORT UK

Regulation Section K drawings 3 or 4 is fitted. Carbon-fibre chassis are not permitted.

### 5.6: BODYWORK:

Bodywork between front and rear wheels must have a minimum width equal to or greater than the width across the front or rear tyres, whichever is the greater, less 15cm (5.9<sup>2</sup>) and must have a minimum height equal to or greater than the height of the plane passing through the front and rear axle centre lines. Ducts in the side of the body to exhaust air from the front wheel wells or to act as an intake or exhaust for cooling air for radiators are permitted but the body forming the duct must have a minimum section depth of

50mm. This height must be equalled or exceeded for all of the body excluding the cockpit opening. The bodywork covering the wheel (the mudguard) must form a continuous surface and be integral with the body covering the chassis. Cycle type mudguards (which only cover the tyre and are not continuous with the rest of the body) are prohibited. Mudguards shall be firmly attached to the bodywork with no gap, in any plane, except for those of abutting panels, between body

and mudguard. Standard manufacturer's bodywork (e.g. Radical, Global, ADR etc) may be fitted. Louvres are permitted in bodywork in compliance with MOTORSPORT UK regulation J.5.2.6 a). A rear aerofoil is permitted, but must not be wider than the bodywork. Front aerofoils are not permitted. Front spoilers, splitters, air dams, dive plates etc are permitted.

Bodywork is free subject to complying with MOTORSPORT UK regulations.

Ground Clearance- all classes: As per MOTORSPORT UK regulation 35.20.11. The minimum ground clearance is 40mm (J5.20.11).

With the exception of breather hose(s) and skid blocks (where fitted) under no circumstance can any part of the bodywork, or of the suspended part of the car, be below a horizontal plane passing 40mm above the ground, the car being in normal racing trim. Official measurements are taken with an official tool of 40mm on the official flat patch or designated area determined and communicated by the officials at each event.

### Ground Clearance will be measured with driver.

**ALL VEHICLES:** The engine and, on front-engined cars the transmission, must be fully enclosed. It is permitted for the air exit from a front-mounted radiator to exhaust through the top surface of the bodywork without any covering but the ducting between the bodywork and the radiator must ensure that the radiator hoses and piping are fully shielded from this ducting.

**FRONT ENGINED CARS:** Air filters may protrude through the bonnet without the need for any cover but must have an effective seal between them and the bonnet; any other holes in the upper surface of the bodywork forward of the steering wheel plus any holes in the side surfaces of the bodywork forward of the steering wheel above a longitudinal line joining the top of the front and rear wheel rims, must be covered with solid bodywork having only a forward facing opening, forward facing louvers or with a metallic gauze with a maximum hole size of 1mm; holes solely for the exhaust system do not require any cover/gauze but must be a reasonably close fit.

### 5.7: ENGINE:

Multiple engine installations are not permitted.

**5.7.1 Class A:** Cars competing in class A must either be powered by Suzuki Hayabusa or Kawasaki engines that conform to the regulations below, or a sub-1100cc capacity motorbike engine with a maximum rear wheel horsepower figure of 215 rwhp. Prior to competing in Class A, if requested by the championship coordinator a sub-1100cc car must visit the championship designated rolling road (see Appendix 1) for a power-run which must be submitted to the championship coordinator. Drivers may also be requested to take their vehicle (at their own expense) to the Championship designated



rolling road after competing where the car will be power tested in order to assess compliance with the relevant class limits. Failure to comply will result in disqualification. For the avoidance of doubt the Radical XXR with the GEN 5 RPE Suzuki Hayabusa engine is only eligible for Class A.

### 1: Modifications Permitted:

The crankshaft is free, subject to engine capacity remaining within the capacity limit for the class entered.

Cylinder Bore may be enlarged to help increase engine capacity or be altered as a wear allowance subject to engine capacity remaining within the capacity limit for the class entered.

Pistons are free.

Connecting rods are free.

The standard cylinder head must be retained but may be modified by the removal or addition of material.

Polishing and flowing of the head is permitted.

It is permitted to repair damaged valve seats and guides.

The valves are free with regard to size and material but must remain in the standard production position.

Camshafts are free subject to the following maximum lift figures for both Suzuki Hayabusa and Kawasaki ZX14 Engines:

Inlet: 10.55mm

Exhaust: 10.00mm

For sub-1100cc engines, camshafts and cam lift is free. The use of vernier pulleys is permitted

Cam chain and cam chain tensioners are free.

Valve spring retainers & valve springs free.

Flywheel and clutch are free.

**2:** Gear Box: The gear box must remain as part of the Bike engine within the engine casing arrangement as per the Bike manufacturer standard configuration.

The use of stronger billet selector forks and stronger/different gears are permitted.

Stronger/heavier duty output shafts are permitted.

**3: Modifications Prohibited:** No material may be added to the crankcase or cylinder block.

### **4. Location:** Front or rear engine.

5. Oil/Water cooling:

Any system may be used for oil and water cooling provided radiators are within the periphery of the vehicle.

Oil hose connectors must be either swaged fittings, 'Aeroquip' – type compression fittings or good quality high-pressure fittings. (The use of hose-clips on oil pipes is prohibited due to the extreme pressures developed by bike engines.)

**Lubrication system:** Free and may have the oil pick-ups and drain holes modified to suit the installation.

Dry sump systems, modified sumps and pick-up pipes are permitted.

Oil coolers are permitted provided they are within the overall periphery of the vehicle.

### 6. Induction Systems: Free.

Throttle bodies must not exceed 45mm in diameter.

Central seater cars with a single central driving seat including the Radical PR6 (and its derivatives such as the Prosport, Clubsport, SR1 & SR4), Speads, Spire GT3 and Stohr that are fitted with an engine over 1340cc and do not meet the 660kgs weight limit must be fitted with an air inlet restrictor supplied by RLM racing (see Appendix 1.) Injectors are free

Forced induction is not permitted except that from forward motion of the vehicle body in free air.

For sub-1100cc engines throttle bodies bore must not exceed 46mm in diameter.

**Fuel delivery systems**: Fuel pump and fuel lines are free, subject to MOTORSPORT UK regulations.

### 7. Exhaust systems: All engine sizes

Exhaust systems including manifold are free but must comply with MOTORSPORT UK noise restrictions as per MOTORSPORT UK yearbook J5.16.5 & J.5.17.

8. Ignition systems: The ECU is free.

**5.7.2 Class B:** Cars competing in class B must be powered by Suzuki Hayabusa or Kawasaki engines that conform to the regulations



Sporting & Technical Regulations 2024

PUBLISHED VERSION - Page 5 of 6 Issued 13/03/2024

### 6. Induction Systems: Free.

For Suzuki Engines throttle bodies bore must not exceed 42mm in diameter, with the exception of the Radical SR3 which may use up to 45mm diameter throttle bodies.

For Kawasaki ZX14 throttle bodies bore must not exceed 44mm in diameter.

For sub-1100cc engines throttle bodies bore must not exceed 46mm in diameter.

Injectors are free

Forced induction is not permitted except that from forward motion of the vehicle body in free air.

**Fuel delivery systems**: Fuel pump and fuel lines are free, subject to MOTORSPORT UK regulations.

### 7. Exhaust systems: All engine sizes

Exhaust systems including manifold are free but must comply with MOTORSPORT UK noise restrictions as per MOTORSPORT UK yearbook J5.16.5 & J.5.17.

8. Ignition systems: The ECU is free.

### 5.8: SUSPENSIONS:

Free, but active suspension is not permitted.

### 5.9: TRANSMISSIONS:

**Chain Guard**: All cars must be fitted with a chain guard of a suitable design and material which as a minimum runs from the mid-point of the upper free chain length to the horizontal centreline of the rearmost sprocket; the guard must be securely mounted to the chassis by welding or by threaded fasteners.

Final drive may be by chain or gear; a limited slip differential or similar may be fitted. Full throttle, flat shift, and trick shifters are permitted. **Reverse:** A functioning reverse gear is strongly recommended.

### **Prohibited Modifications:**

Electronic traction control is not permitted.

## 5.10: ELECTRICS

1. Exterior Lighting: Not applicable.

**2. Rear Warning Light:** An LED rear fog light to EU regulation 7, an FIA homologated LED rear warning light, or an LED stop light to EU regulation 38 is mandatory and must be mounted in accordance with MOTORSPORT UK Regulation K5. Where high bodywork behind the rollcage may

prevent the light being fully visible, the light may be fitted to the rear of that bodywork at an equivalent height within 10cms of the centreline of the car.

**3. Batteries**: A battery and starter motor capable of repetitive starts must be fitted and operable by the driver whilst normally seated. **4. Charging system**: The standard production charging system for the engine must be fitted and electrically connected so that the standard battery charging function is providing a charge to the onboard battery.

## 5.11: BRAKES

Free.

### 5.12: WHEELS / STEERING

Rim dimensions are free in all classes.

### 5.13: TYRES

The use of tyre heating/heat retention devices, tyre treatments and softening compounds is prohibited. Tyres are <u>free</u>, <del>restricted to the following permitted options:</del>

For vehicles using 13 Inch Tyres (i.e. for a Radical PR6)

The only tyres permitted are Avon Radical Slick (A 11 & 333 Compound), Pirelli Slick (DM Compound), Hankook Slick (C72 & C92 Compound.)

For vehicles using 15 & 16 Inch Tyres (i.e for a Radical SR3)

Drivers may also be requested to take their vehicle (at their own expense) to the Championship designated rolling road after competing where the car will be power tested in order to assess compliance with the relevant class limits. Failure to comply will result in disqualification. **1: Modifications Permitted:** The crankshaft is free, subject to engine capacity remaining within the capacity limit for the class entered, for the Suzuki Hayabusa engine the

GEN 3 or GEN 4 RPE Suzuki Havabusa engine.

below, or a sub-1100cc capacity motorbike engine must have a

competing in Class B, if requested by the championship coordinator a

sub-1100cc car must visit the championship designated rolling road

(see Appendix 1) for a power-run which must be submitted to the

championship coordinator. Only the Radical SR3 RSX & SR3 RS

maximum rear wheel horsepower figure of 185 rwhp. Prior to

maximum permitted stroke is 72mm. Cylinder Bore may be enlarged to help increase engine capacity or be altered as a wear allowance subject to engine capacity remaining within the capacity limit for the class entered.

Pistons are free

Connecting rods are free.

The maximum permitted compression ratio is 12.7:1 for 1500cc engines.

The standard cylinder head must be retained but may be modified by the removal of material by hand porting / machining only. The addition of material such as port filling is not permitted.

Polishing and flowing of the head is permitted. It is permitted to repair damaged valve seats and guides.

The valves are free with regard to material but must remain in the standard production position. For the Suzuki Hayabusa engine the maximum permitted diameter for inlet valves is 33mm and 27.5mm for exhaust valves.

For Suzuki Engines camshafts must be standard Suzuki items and are subject to the following maximum lift figures:

GEN 1,2 & 4 Engines- Inlet: 9.00mm Exhaust: 8.60mm GEN 3 Engines - Inlet: 9.50mm Exhaust: 8.80mm

[The Suzz38 camshaft may only be used in 1440cc engines as fitted to the Radical SR3 RSX]

Camshafts may not be machined or altered in order to give greater lift or duration than standard Suzuki parts.

For Kawasaki ZX-14 Engines camshafts must be standard Kawasaki items and are subject to the following maximum lift figures:

GEN 1 Engines - Inlet: 9mm Exhaust: 8.5mm

GEN 2 Engines - Inlet: 9.25mm Exhaust: 9.25mm For sub-1100cc engines, camshafts and cam lift is free. The wiring loom/harness is free.

The use of vernier pulleys is permitted

Cam chain and cam chain tensioners are free.

Valve spring retainers & valve springs free.

Flywheel and clutch are free.

**2:** Gear Box: The gear box must remain as part of the Bike engine within the engine casing arrangement as per the Bike manufacturer standard configuration.

The use of stronger billet selector forks and stronger/different gears are permitted.

Stronger/heavier duty output shafts are permitted.

**3: Modifications Prohibited:** No material may be added to the crankcase or cylinder block.

4. Location: Front or rear engine.

### 5. Oil/Water cooling:

Any system may be used for oil and water cooling provided radiators are within the periphery of the vehicle.

Oil hose connectors must be either swaged fittings, 'Aeroquip' – type compression fittings or good quality high-pressure fittings. (The use of hose-clips on oil pipes is prohibited due to the extreme pressures developed by bike engines.)

**Lubrication system:** Free and may have the oil pick-ups and drain holes modified to suit the installation.

Dry sump systems, modified sumps and pick-up pipes are permitted. Oil coolers are permitted provided they are within the overall periphery of the vehicle.





Sporting & Technical Regulations 2024 PUBLISHED VERSION - Page 6 of 6 Issued 13/03/2024

The only tyres permitted are Avon Radial Slick (333 Compound), Hankook Slick (C52 & C72 Compound)

Wet tyres are free for both tyres sizes.

Intermediate tyres are NOT permitted. Invitational entries are permitted to use any slick tyre.

2. The use of tyre heating/heat retention devices, tyre treatments and compounds is prohibited.

3. Drivers will only be permitted to use a total of 16 slick (dry) tyres during the season. At each event drivers will be permitted to use a maximum of 8 tyres per race weekend. single set of four slick tyres per race meeting. Additional tyres may only be fitted if deemed to be damaged or unsafe by the event Chief Scrutineer, and may only be replaced by a tyre of the same size, manufacturer and compound. The number of wet tyres is not restricted. All slick tyres must have serial numbers or Barcodes. If tyres are not barcoded, these can be purchased and fitted by PolleySport at an additional cost.

Drivers will be required to nominate which tyres they are using via the Bikesports Championship Tyre Record form (N.B. the tyre form maybe in electronic format). This must be communicated to the relevant appointed official prior to the start of competition. Any competitor found during post qualifying/race scrutineering, to have qualified or raced with a tyre not listed on the 'Tyre Record Form' or found to have exceeded the permitted number of tyres for either the race weekend in question or the season may be disqualified from the results.

If an additional tyre is required as a result of an 'on-track' incident, the competitor must seek the approval of the Championship Eligibility Scrutineer.

### 5.14: VEHICLE WEIGHT:

Minimum weights including driver with overalls, helmet etc, post practice or race, with no allowance for topping up of fluids, are:-

Class A = Cars up to 1500cc - 660 Kgs, Cars up to 1340cc - 595 Kgs, Cars under 1100cc - 555Kgs.

Central seater cars with a single central driving seat including the Radical PR6 (and its derivatives such as the Prosport, Clubsport, SR1 & SR4), Speads, Spire GT3 and Stohr that are fitted with an engine over 1340cc may weigh 595kgs if fitted with an air inlet restrictor supplied by RLM racing (see Appendix 1.)

Class B = Cars up to 1500cc – 700 Kgs, Cars up to 1340cc - 615 Kgs, Cars up to 1100cc – 575 Kgs.

### 5.15: FUEL TANK / FUEL

**1. Types:** F.I.A homologated safety tanks are mandatory if fitted outside the chassis frame. A non-return valve must be incorporated in the vent system.

2. Locations: May not be located in the cockpit unless it is separated from the driver by a fireproof bulkhead, otherwise free.
3. Fuel: Only petrol as defined in Section B Nomenclature & Definitions, Pump Fuel a) section of the MOTORSPORT UK Yearbook for the current year and complying with BSEN228 may be used; fuel which exceeds the stated RON (max) levels in Appendix 1 of Section B Nomenclature & Definitions is prohibited even if it is sold/promoted as being legal for UK Competition and/or obtainable from 'roadside' pumps. The use of additives by competitors which boost the octane rating (RON) in any petrol is prohibited. At the end of practice and the race at least 3 litres of petrol from the tank of the competing car must be available to the scrutineers for analysis. Compliance with minimum weight for the car will be taken before the petrol is removed.



**5.16: SILENCING**: All vehicles must comply with the relevant maximum noise limits set out in MOTORSPORT UK Blue Book regulation J. Chart 5.18.

#### **5.17: NUMBERS & CHAMPIONSHIP DECALS**

**1. Positions**: Race numbers must be displayed on each side of the vehicle alongside the cockpit/driver and as far forward on the front of the vehicle as possible. Numbers may be white numbers on coloured backgrounds or black numbers on white backgrounds. 750 Motor Club decals must be affixed prominently near all number backgrounds. Championship Sponsor's decals (where applicable) must be affixed in or near the positions on the diagram supplied with those decals. 750 Motor Club and Championship Sponsor's decals must take preference to any other decals. Failure to comply will render the vehicle and driver ineligible to race.

**2. Suppliers**: Sponsors and Club decals will be available at the first Championship race in which the vehicle is entered

### **APPENDIX 1:**

Engine Inlet air box Restrictor plate supplier & Designated Rolling Road.

### **RLM Racing**

Fernie Court, Station Rd, Uppingham, Oakham LE15 9US Tel: 01572 868410 Email: info@rlmracing.com

